

**1972
TUBERCULOSIS
STATISTICS:
STATES AND CITIES**

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
CENTER FOR DISEASE CONTROL
STATE AND COMMUNITY SERVICES DIVISION
TUBERCULOSIS BRANCH
ATLANTA, GEORGIA 30333

Copies are available from:

Center for Disease Control
Attn: Tuberculosis Branch
State and Community Services Division
Atlanta, Georgia 30333

CONTENTS

	<i>Page</i>
INTRODUCTION _____	1
 <i>United States Summary Table:</i>	
1. New Active Tuberculosis Cases and Deaths, 1953-1972 _____	2
 <i>State Tables:</i>	
2. Cases and Case Rates, 1972 and 1971 _____	3
3. Cases by Age, 1972 _____	4
4. Case Rates by Age, 1972 _____	5
5. Cases by Race and Sex, 1972 _____	6
6. Case Rates by Race and Sex, 1972 _____	7
7. Cases Found at Time of Death, 1972 _____	8
8. Cases by Form and Extent, 1972 _____	9
9. Pulmonary Tuberculosis by Extent of Disease, 1972 _____	10
 <i>City Tables:</i>	
10. Cases and Case Rates (cities of 250,000 + population), 1972 _____	11
11. Cases by Age, 1972 _____	12
12. Cases by Race and Sex, 1972 _____	13
13. Cases and Case Rates (cities with 100,000-250,000 population), 1972 _____	14

INTRODUCTION

Tuberculosis morbidity and mortality data and information on hospital facilities are completed at various times throughout the year. In order to provide information as early as possible, tuberculosis statistics are published as data become available. This report is a summary of 1972 tuberculosis case data for states and cities. Later in the year the following reports will be issued:

1. *Reported Tuberculosis Data, 1972*, including detailed analyses of statistics for the United States.
2. *Tuberculosis Deaths and Death Rates, United States, 1970*, including mortality statistics for states and cities.

Definitions

Cases, as the term is used in this report, relate to active tuberculosis cases not previously reported.

Deaths from tuberculosis are identified in the cause-of-death statistics, published by the National Center for Health Statistics.

Rate, either case rate or death rate, is the number per 100,000 population.

Sources of Data

Morbidity: Annual Tuberculosis Reports, HSM 5.1393, were submitted to the Center for Disease Control by each state health department and by health departments of cities with 250,000 or more population. State reports included limited data for all counties within each state (to be analyzed later) and for cities of 100,000 or more population.

Mortality: Official tuberculosis mortality statistics for the United States are compiled by the National Center for Health Statistics. At the time of publication of this report, only provisional deaths based on the NCHS 10 percent sample were available for 1970, 1971, and 1972.

Population: State population estimates are from the Bureau of Census, Current Population Reports, Series P-25, No. 488, September 1972. Age, race and sex population estimates for individual states were prepared by the Tuberculosis Branch (CDC), taking into account estimates of the Bureau of the Census. For cities, population estimates were obtained mainly from the respective local and state authorities.

TABLE 1

*New Active Tuberculosis
Cases and Deaths,
United States, 1953-1972*

Year	New Active Cases				Tuberculosis Deaths			
	Number	Rate	% Change		Number	Rate	% Change	
			Number	Rate			Number	Rate
1953	84,304	53.0	19 707	12.4
1954	79,775	49.3	- 5.4	- 7.0	16,527	10.2	-16.1	-17.7
1955	77,368	46.9	- 3.0	- 4.9	15,016	9.1	- 9.1	-10.8
1956	69,895	41.6	- 9.7	-11.3	14,137	8.4	- 5.9	- 7.7
1957	67,149	39.2	- 3.9	- 5.8	13,390	7.8	- 5.3	- 7.1
1958	63,534	36.5	- 5.4	- 6.9	12,417	7.1	- 7.3	- 9.0
1959	57,535	32.5	- 9.4	-11.0	11,474	6.5	- 7.6	- 8.5
1960	55,494	30.8	- 3.5	- 5.2	10,866	6.0	- 5.3	- 7.7
1961	53,726	29.4	- 3.2	- 4.5	9,938	5.4	- 8.5	-10.0
1962	53,315	28.7	- 0.8	- 2.4	9,506	5.1	- 4.3	- 5.6
1963	54,042	28.7	+ 1.4	0.0	9,311	4.9	- 2.1	- 3.9
1964	50,874	26.6	- 5.9	- 7.3	8,303	4.3	-10.8	-12.2
1965	49,016	25.3	- 3.7	- 4.9	7,934	4.1	- 4.4	- 4.7
1966	47,767	24.4	- 2.5	- 3.6	7,625	3.9	- 3.9	- 4.9
1967	45,647	23.1	- 4.4	- 5.3	6,901	3.5	- 9.5	-10.3
1968	42,623	21.3	- 6.6	- 7.8	6,292	3.1	- 8.8	-11.4
1969	39,120	19.4	- 8.2	- 8.9	5,567	2.8	-11.5	- 9.7
1970	37,137	18.3	- 5.1	- 5.7	5,560*	2.7	- 0.1	- 3.6
1971	35,217	17.1	- 5.2	- 6.6	4,380*	2.1	-21.2	-22.2
1972	32,882	15.8	- 6.6	- 7.6	4,550*	2.2	+ 3.9	+ 4.8

*Provisional. Deaths for 1970, 1971
and 1972 are based on the NCHS ten
percent sample.

State	New Active Cases		Case Rate		Rank According to Rate		Population July 1, 1972
	1972	1971	1972	1971	1972	1971	
United States	32,882	35,217	15.8	17.1	208,232,000
Alabama	918	985	26.2	28.3	2	3	3,510,000
Alaska	80	105	24.6	33.5	3	2	325,000
Arizona	396	459	20.4	24.8	11	5	1,945,000
Arkansas	434	482	21.9	24.8	6	6	1,978,000
California	3,326	3,488	16.2	17.2	21	20	20,468,000
Colorado	245	257	10.4	11.3	34	33	2,357,000
Connecticut	246	270	8.0	8.8	40	38	3,082,000
Delaware	103	83	18.2	14.9	15	25	565,000
District of Columbia	354	323	47.3	43.6	748,000
Florida	1,517	1,551	20.9	22.0	8	9	7,259,000
Georgia	897	977	19.0	20.9	13	12	4,720,000
Hawaii	315	328	38.9	41.6	1	1	809,000
Idaho	62	56	8.2	7.7	38	43	756,000
Illinois	1,940	2,138	17.2	19.1	18	18	11,251,000
Indiana	722	767	13.6	14.5	26	27	5,291,000
Iowa	117	129	4.1	4.5	50	48	2,883,000
Kansas	169	156	7.5	6.9	42	45	2,258,000
Kentucky	715	755	21.7	23.0	7	8	3,299,000
Louisiana	520	747	14.0	20.3	24	14	3,720,000
Maine	87	81	8.5	8.1	37	41	1,029,000
Maryland	838	840	20.7	21.0	10	11	4,056,000
Massachusetts	734	763	12.7	13.3	28	29	5,787,000
Michigan	1,261	1,312	13.9	14.6	25	26	9,082,000
Minnesota	202	206	5.2	5.3	47	47	3,896,000
Mississippi	400	431	17.7	19.4	17	16	2,263,000
Missouri	605	710	12.7	15.0	27	24	4,753,000
Montana	64	78	8.9	11.0	36	34	719,000
Nebraska	101	82	6.6	5.4	43	46	1,525,000
Nevada	43	46	8.2	9.1	39	37	527,000
New Hampshire	38	31	4.9	4.1	48	49	771,000
New Jersey	1,208	1,298	16.4	17.8	20	19	7,367,000
New Mexico	194	172	18.2	16.7	16	21	1,065,000
New York	3,451	3,752	18.8	20.4	14	13	18,366,000
North Carolina	996	1,043	19.1	20.3	12	15	5,214,000
North Dakota	31	51	4.9	8.2	49	39	632,000
Ohio	1,252	1,301	11.6	12.1	30	31	10,783,000
Oklahoma	330	347	12.5	13.3	29	28	2,634,000
Oregon	234	249	10.7	11.5	32	32	2,182,000
Pennsylvania	1,772	1,928	14.9	16.2	22	22	11,926,000
Rhode Island	108	116	11.2	12.1	31	30	968,000
South Carolina	651	669	24.4	25.5	4	4	2,665,000
South Dakota	69	69	10.2	10.3	35	36	679,000
Tennessee	929	878	23.0	22.0	5	10	4,031,000
Texas	2,422	2,730	20.8	23.8	9	7	11,649,000
Utah	62	44	5.5	4.0	45	50	1,126,000
Vermont	36	37	7.8	8.1	41	40	462,000
Virginia	817	912	17.1	19.3	19	17	4,764,000
Washington	359	358	10.4	10.4	33	35	3,443,000
West Virginia	252	276	14.1	15.8	23	23	1,781,000
Wisconsin	240	324	5.3	7.2	46	44	4,520,000
Wyoming	20	27	5.8	7.9	44	42	345,000
Puerto Rico*	644	808	23.7	29.8	2,717,000

TABLE 2

*New Active Tuberculosis
Cases and Case Rates:
States, 1972 and 1971*

*Not included in totals.
District of Columbia is classed as
a city, and is not ranked with the
States.

TABLE 3

*New Cases of Active
Tuberculosis by Age:
States, 1972*

State	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
United States	32,882	1,361	1,200	2,865	8,584	11,188	7,329	355
Alabama	918	26	48	76	201	306	261	0
Alaska	80	3	12	14	18	25	5	3
Arizona	396	34	34	26	89	116	97	0
Arkansas	434	13	26	25	85	125	157	3
California	3,326	160	96	395	976	1,028	667	4
Colorado	245	6	4	23	76	63	70	3
Connecticut	246	3	1	16	83	82	59	2
Delaware	103	4	9	7	22	34	27	0
District of Columbia	354	11	5	19	132	129	58	0
Florida	1,517	75	54	109	440	554	285	0
Georgia	897	39	38	76	254	320	140	30
Hawaii	315	7	6	24	106	103	68	1
Idaho	62	4	5	5	10	20	18	0
Illinois	1,940	56	36	165	612	670	401	0
Indiana	722	29	36	60	157	237	175	28
Iowa	117	1	0	5	38	37	36	0
Kansas	169	5	3	8	42	59	48	4
Kentucky	715	18	10	60	130	232	265	0
Louisiana	520	35	27	35	147	194	81	1
Maine	87	0	2	3	24	31	26	1
Maryland	838	28	25	53	231	334	164	3
Massachusetts	734	27	21	63	203	255	161	4
Michigan	1,261	80	53	261	165	428	260	14
Minnesota	202	7	3	9	41	75	65	2
Mississippi	400	13	3	18	104	141	121	0
Missouri	605	68	18	24	100	185	203	7
Montana	64	1	3	3	17	19	21	0
Nebraska	101	0	0	5	23	53	20	0
Nevada	43	0	0	2	16	16	9	0
New Hampshire	38	3	1	2	10	13	9	0
New Jersey	1,208	59	52	116	413	394	174	0
New Mexico	194	19	19	16	44	53	43	0
New York	3,451	119	130	381	1,154	1,094	573	0
North Carolina	996	40	42	84	236	373	220	1
North Dakota	31	3	2	3	7	9	7	0
Ohio	1,252	42	46	73	248	417	250	176
Oklahoma	330	5	2	15	76	116	116	0
Oregon	234	11	7	15	53	88	56	4
Pennsylvania	1,772	36	43	96	439	691	463	4
Rhode Island	108	5	2	13	35	40	13	0
South Carolina	651	43	62	58	170	221	97	0
South Dakota	69	10	1	11	17	19	11	0
Tennessee	929	31	24	46	170	308	350	0
Texas	2,422	137	120	254	601	822	453	35
Utah	62	0	3	6	13	19	21	0
Vermont	36	1	0	0	7	10	18	0
Virginia	817	27	39	44	187	283	217	20
Washington	359	1	11	15	67	152	113	0
West Virginia	252	11	7	21	48	89	76	0
Wisconsin	240	5	6	6	42	99	78	4
Wyoming	20	0	3	1	5	7	3	1
Puerto Rico*	644	15	21	69	179	229	118	13

*Not included in totals.

TABLE 4
*Tuberculosis Case
Rates by Age:
States, 1972*

State	Total	Under 5	5-14	15-24	25-44	45-64	65+
United States	15.8	8.0	3.1	7.6	17.4	26.5	35.4
Alabama	26.2	8.5	6.9	11.6	24.7	43.6	77.3
Alaska	24.6	8.7	16.3	21.8	18.0	63.1	61.0
Arizona	20.4	20.1	9.2	7.5	17.0	31.6	56.2
Arkansas	21.9	8.0	7.0	7.1	19.7	30.8	64.7
California	16.2	9.7	2.6	10.5	18.4	25.2	34.9
Colorado	10.4	3.1	0.9	5.1	12.2	14.7	35.9
Connecticut	8.0	1.2	0.2	3.0	11.3	12.1	19.6
Delaware	18.2	8.2	7.9	6.8	15.6	30.4	58.4
District of Columbia	47.3	20.8	4.0	12.9	65.5	85.7	81.9
Florida	20.9	14.3	4.4	9.1	25.6	36.0	27.4
Georgia	19.0	9.2	4.2	8.9	22.2	37.1	38.1
Hawaii	38.9	9.6	3.8	15.3	47.3	69.8	142.9
Idaho	8.2	5.9	3.3	3.5	5.7	13.6	25.4
Illinois	17.2	6.1	1.7	8.2	22.9	28.3	35.5
Indiana	13.6	6.5	3.6	6.2	13.2	23.4	35.5
Iowa	4.1	0.4	n.c.	1.0	6.0	6.3	9.9
Kansas	7.5	2.8	0.7	1.9	8.4	13.2	17.9
Kentucky	21.7	6.6	1.6	9.6	17.3	35.1	75.4
Louisiana	14.0	10.0	3.4	4.8	17.2	28.4	25.5
Maine	8.5	n.c.	1.0	1.7	10.1	14.9	22.6
Maryland	20.7	8.3	3.1	7.3	22.1	41.0	51.6
Massachusetts	12.7	6.0	2.0	6.1	15.2	20.8	24.7
Michigan	13.9	10.1	2.9	15.3	7.7	24.2	33.5
Minnesota	5.2	2.1	0.4	1.2	4.6	10.2	15.6
Mississippi	17.7	6.1	0.6	4.2	21.1	33.0	52.5
Missouri	12.7	18.1	2.1	2.8	9.5	18.9	35.0
Montana	8.9	1.7	2.1	2.2	10.2	13.2	29.3
Nebraska	6.6	n.c.	n.c.	1.8	6.7	17.5	10.6
Nevada	8.2	n.c.	n.c.	2.3	10.5	15.0	26.4
New Hampshire	4.9	4.5	0.7	1.5	5.5	8.3	10.9
New Jersey	16.4	10.2	3.8	9.3	23.4	23.7	23.5
New Mexico	18.2	19.3	8.1	7.9	16.3	28.8	58.4
New York	18.8	8.2	3.9	12.2	26.2	26.9	28.1
North Carolina	19.1	8.9	4.3	8.2	18.0	36.5	51.0
North Dakota	4.9	5.8	1.6	2.4	5.2	7.2	10.1
Ohio	11.6	5.4	2.5	4.1	11.5	21.9	28.2
Oklahoma	12.5	2.4	0.4	3.1	12.4	21.2	37.2
Oregon	10.7	6.5	1.8	3.8	10.4	19.0	24.5
Pennsylvania	14.9	4.0	2.0	4.6	16.5	25.1	35.0
Rhode Island	11.2	6.6	1.2	7.3	15.9	18.8	12.1
South Carolina	24.4	17.8	11.6	10.6	26.5	44.1	48.3
South Dakota	10.2	18.3	0.7	8.5	12.0	14.1	13.2
Tennessee	23.0	9.3	3.2	6.2	17.4	37.6	87.2
Texas	20.8	13.2	5.4	11.6	21.2	38.2	43.7
Utah	5.5	n.c.	1.3	2.6	4.9	10.0	25.4
Vermont	7.8	2.4	n.c.	n.c.	6.7	11.2	35.6
Virginia	17.1	6.8	4.3	4.9	15.7	30.8	58.5
Washington	10.4	0.4	1.7	2.3	8.2	21.3	33.8
West Virginia	14.1	7.7	2.2	6.6	12.0	22.5	37.6
Wisconsin	5.3	1.3	0.7	0.7	4.1	11.3	16.4
Wyoming	5.8	n.c.	4.5	1.6	6.1	11.6	9.3
Puerto Rico*	23.7	4.7	3.1	13.5	29.7	57.6	68.4

*Not included in totals.
Notes: (1) Cases with age not specified were distributed proportionately.
(2) n.c. = No cases.

TABLE 5

*New Cases of Active
Tuberculosis by Race
and Sex: States, 1972*

State	Total	White			Other			Not Stated
		Total	Male	Female	Total	Male	Female	
United States	32,882*	18,227	12,337	5,890	12,165	7,953	4,212	1,282
Alabama	918	459	309	150	459	322	137	0
Alaska	80	14	10	4	66	45	21	0
Arizona	396	155	102	53	241	150	91	0
Arkansas	434	269	190	79	159	92	67	6
California	3,326	2,368	1,563	805	904	569	335	54
Colorado	245	189	117	72	51	31	20	5
Connecticut	246	154	98	56	81	55	26	11
Delaware	103	53	35	18	50	32	18	0
District of Columbia	354	51	40	11	301	211	90	2
Florida	1,517	727	509	218	786	552	234	4
Georgia	897	373	272	101	521	358	163	3
Hawaii	315	27	17	10	288	174	114	0
Idaho	62	48	27	21	14	8	6	0
Illinois	1,940	1,157	817	340	628	436	192	155
Indiana	722	532	345	187	190	119	71	0
Iowa	117	99	71	28	18	10	8	0
Kansas	169	118	75	43	44	29	15	7
Kentucky	715	630	415	215	85	60	25	0
Louisiana	520	236	173	63	283	183	100	1
Maine	87	86	61	25	1	1	0	0
Maryland	838	377	257	120	461	305	156	0
Massachusetts	734	583	422	161	151	103	48	0
Michigan	1,261	676	480	196	579	386	193	6
Minnesota	202	173	108	65	29	19	10	0
Mississippi	400	175	126	49	225	157	68	0
Missouri	605	423	278	145	170	110	60	12
Montana	64	39	31	8	25	13	12	0
Nebraska	101	80	65	15	21	15	6	0
Nevada	43	31	24	7	12	11	1	0
New Hampshire	38	36	20	16	2	1	1	0
New Jersey	1,208
New Mexico	194	114	78	36	80	32	48	0
New York	3,451	1,300	851	449	1,341	839	502	810
North Carolina	996	355	262	93	641	439	202	0
North Dakota	31	15	9	6	16	8	8	0
Ohio	1,252	711	475	236	462	271	191	79
Oklahoma	330	228	162	66	102	62	40	0
Oregon	234	180	127	53	29	19	10	25
Pennsylvania	1,772	1,072	760	312	700	470	230	0
Rhode Island	108	84	58	26	24	17	7	0
South Carolina	651	156	114	42	495	312	183	0
South Dakota	69	14	11	3	55	27	28	0
Tennessee	929	689	414	275	240	153	87	0
Texas	2,422	1,802	1,180	622	529	344	185	91
Utah	62	45	26	19	17	9	8	0
Vermont	36	36	24	12	0	0	0	0
Virginia	817	384	259	125	433	287	146	0
Washington	359	270	184	86	89	60	29	0
West Virginia	252	224	144	80	28	21	7	0
Wisconsin	240	190	126	64	39	26	13	11
Wyoming	20	20	16	4	0	0	0	0
Puerto Rico**	644	644	425	219

*Cases reported by New Jersey were not identified by race and sex.

**Not included in totals. Figures shown by sex are for all races.

State	Total	White			Other		
		Total	Male	Female	Total	Male	Female
United States	15.8	10.8	14.9	6.8	50.3	67.6	34.0
Alabama	26.2	17.8	24.6	11.3	49.4	73.5	27.9
Alaska	24.6	5.4	7.1	3.4	97.6	124.7	66.7
Arizona	20.4	8.8	11.8	5.9	135.4	166.7	103.4
Arkansas	21.9	17.1	24.8	9.7	43.1	52.5	34.5
California	16.2	13.3	17.9	8.8	39.8	49.5	29.8
Colorado	10.4	8.6	10.8	6.4	51.6	60.9	41.7
Connecticut	8.0	5.6	7.5	3.9	40.9	57.5	25.5
Delaware	18.2	11.0	14.9	7.3	59.8	78.8	41.9
District of Columbia	47.3	30.0	52.1	11.8	52.4	76.5	30.2
Florida	20.9	11.9	17.3	6.9	70.2	101.3	40.6
Georgia	19.0	10.7	15.9	5.7	43.0	62.5	25.4
Hawaii	38.9	8.5	10.0	6.8	58.7	68.1	48.5
Idaho	8.2	6.5	7.3	5.6	98.6	(103.9)	(92.3)
Illinois	17.2	12.3	17.8	7.0	46.6	65.3	29.1
Indiana	13.6	10.9	14.4	7.4	48.9	62.8	35.7
Iowa	4.1	3.5	5.1	1.9	41.3	46.3	36.4
Kansas	7.5	5.8	7.5	4.1	35.5	48.1	23.1
Kentucky	21.7	20.7	27.7	13.9	33.7	47.8	19.7
Louisiana	14.0	9.1	13.7	4.8	25.1	33.9	17.0
Maine	8.5	8.4	12.3	4.8	(14.9)	(27.0)	n.c.
Maryland	20.7	11.4	15.9	7.1	61.4	83.0	40.6
Massachusetts	12.7	10.5	15.9	5.5	68.1	96.6	41.7
Michigan	13.9	8.5	12.4	4.8	51.9	70.1	34.2
Minnesota	5.2	4.5	5.8	3.3	39.8	51.5	27.8
Mississippi	17.7	12.3	18.1	6.8	26.7	39.0	15.5
Missouri	12.7	10.2	13.9	6.7	33.1	45.0	22.1
Montana	8.9	5.7	9.1	2.3	74.9	74.7	75.0
Nebraska	6.6	5.4	9.0	2.0	40.7	59.8	22.6
Nevada	8.2	6.4	9.8	2.9	28.2	51.2	4.8
New Hampshire	4.9	4.7	5.4	4.1	(43.5)	(38.5)	(50.0)
New Jersey	16.4
New Mexico	18.2	11.9	16.6	7.4	74.6	60.2	88.9
New York	18.8	10.5	14.3	6.9	72.6	97.0	51.1
North Carolina	19.1	8.9	13.4	4.6	52.3	73.6	32.2
North Dakota	4.9	2.4	2.9	2.0	82.9	(81.6)	(84.2)
Ohio	11.6	7.8	10.7	5.0	45.9	55.0	37.3
Oklahoma	12.5	9.7	14.2	5.5	34.7	43.3	26.5
Oregon	10.7	9.5	13.7	5.5	53.1	70.5	36.1
Pennsylvania	14.9	9.9	14.6	5.5	65.0	92.3	40.6
Rhode Island	11.2	9.0	12.7	5.4	72.7	103.0	42.4
South Carolina	24.4	8.5	12.4	4.5	60.4	79.0	43.2
South Dakota	10.2	2.2	3.5	0.9	151.9	152.5	151.4
Tennessee	23.0	20.4	25.2	15.8	36.6	49.0	25.4
Texas	20.8	18.4	24.7	12.4	36.6	49.1	24.8
Utah	5.5	4.1	4.8	3.4	60.1	60.8	59.3
Vermont	7.8	7.8	10.7	5.1	n.c.	n.c.	n.c.
Virginia	17.1	10.0	13.6	6.4	47.4	63.8	31.5
Washington	10.4	8.2	11.3	5.2	53.9	69.7	36.7
West Virginia	14.1	13.1	17.5	9.1	36.2	56.3	17.5
Wisconsin	5.3	4.6	6.2	3.0	24.7	34.7	15.3
Wyoming	5.8	6.0	9.5	2.4	n.c.	n.c.	n.c.
Puerto Rico*	23.7	23.7	32.0	15.8

TABLE 6

*Tuberculosis Case Rates
by Race and Sex:
States, 1972*

*Not included in totals. Figures shown by sex are for all races.

Notes: (1) Rates enclosed in parentheses have a population base under 10,000.

(2) Cases with race or sex not specified distributed proportionately.

(3) n.c. = No cases.

(4) (..) = Not available.

TABLE 7

*New Cases of Active
Tuberculosis Found
at Time of Death:
States, 1972*

State	Total New Active Cases	Active Cases Found at Death	
		Number	% of Total Cases
United States	32,882	1,191	4.2*
Alabama	918	20	2.2
Alaska	80	1	1.3
Arizona	396	9	2.3
Arkansas	434	16	3.7
California	3,326	140	4.2
Colorado	245	13	5.3
Connecticut	246	5	2.0
Delaware	103	2	1.9
District of Columbia	354	32	9.0
Florida	1,517	110	7.3
Georgia	897	25	2.8
Hawaii	315	2	0.6
Idaho	62
Illinois	1,940
Indiana	722	66	9.1
Iowa	117	8	6.8
Kansas	169	6	3.6
Kentucky	715	5	0.7
Louisiana	520	3	0.6
Maine	87	6	6.9
Maryland	838	34	4.1
Massachusetts	734	28	3.8
Michigan	1,261	28	2.2
Minnesota	202	10	5.0
Mississippi	400	22	5.5
Missouri	605	25	4.1
Montana	64	5	7.8
Nebraska	101	6	5.9
Nevada	43	0	0.0
New Hampshire	38	2	5.3
New Jersey	1,208	56	4.6
New Mexico	194	4	2.1
New York	3,451	173	5.0
North Carolina	996	23	2.3
North Dakota	31	0	0.0
Ohio	1,252
Oklahoma	330	14	4.2
Oregon	234
Pennsylvania	1,772	50	2.8
Rhode Island	108
South Carolina	651
South Dakota	69	6	8.7
Tennessee	929	48	5.2
Texas	2,422	52	2.1
Utah	62	2	3.2
Vermont	36	2	5.6
Virginia	817	84	10.3
Washington	359	33	9.2
West Virginia	252	11	4.4
Wisconsin	240
Wyoming	20	4	20.0
Puerto Rico**	644	49	7.6

*For 43 reporting States and District of Columbia.

**Not included in totals.

(..) = Not reported.

State	Total Active Cases	Pulmonary					Extra-Pulmonary	Form Not Specified
		Primary	Minimal	Moderately Advanced	Far Advanced	Extent Not Specified		
United States	32,882	2,416	5,461	10,774	9,013	1,308	3,864	46
Alabama	918	70	104	285	276	124	55	4
Alaska	80	19	28	10	10	0	13	0
Arizona	396	71	67	103	104	5	46	0
Arkansas	434	45	46	137	129	38	39	0
California	3,326	197	717	1,190	654	57	510	1
Colorado	245	10	47	65	51	15	57	0
Connecticut	246	1	56	69	61	23	36	0
Delaware	103	14	7	15	51	7	7	2
District of Columbia	354	10	60	126	110	6	42	0
Florida	1,517	125	183	564	456	45	144	0
Georgia	897	74	109	290	329	0	95	0
Hawaii	315	8	140	101	29	3	34	0
Idaho	62	6	12	15	11	0	18	0
Illinois	1,940	64	292	804	569	40	160	11
Indiana	722	89	106	206	207	54	57	3
Iowa	117	1	13	23	57	6	17	0
Kansas	169	8	55	51	38	4	13	0
Kentucky	715	17	133	270	239	1	54	1
Louisiana	520	52	71	169	176	13	39	0
Maine	87	3	17	35	17	3	12	0
Maryland	838	55	157	247	277	3	99	0
Massachusetts	734	38	120	251	128	83	111	3
Michigan	1,261	116	225	409	349	14	148	0
Minnesota	202	11	42	59	35	22	33	0
Mississippi	400	11	52	118	164	26	29	0
Missouri	605	85	77	175	168	59	35	6
Montana	64	1	17	15	14	6	11	0
Nebraska	101	3	16	40	18	12	11	1
Nevada	43	1	6	9	9	12	6	0
New Hampshire	38	4	9	14	8	1	2	0
New Jersey	1,208	106	138	439	333	0	192	0
New Mexico	194	39	25	43	31	15	39	2
New York	3,451	208	543	1,106	971	145	478	0
North Carolina	996	95	131	247	373	0	150	0
North Dakota	31	5	6	10	5	0	5	0
Ohio	1,252	101	243	373	286	140	109	0
Oklahoma	330	3	51	131	113	1	31	0
Oregon	234	16	43	66	47	28	32	2
Pennsylvania	1,772	83	330	673	437	0	249	0
Rhode Island	108	6	16	39	24	6	17	0
South Carolina	651	105	57	134	251	24	80	0
South Dakota	69	8	10	16	14	6	15	0
Tennessee	929	47	170	346	238	26	102	0
Texas	2,422	259	384	759	627	174	211	8
Utah	62	2	9	26	4	0	20	1
Vermont	36	1	7	16	2	2	8	0
Virginia	817	82	154	194	317	4	65	1
Washington	359	15	76	140	52	8	68	0
West Virginia	252	14	39	80	70	32	17	0
Wisconsin	240	10	40	67	70	15	38	0
Wyoming	20	2	5	4	4	0	5	0
Puerto Rico*	644	23	65	258	232	0	66	0

TABLE 8

New Cases of Active Tuberculosis by Form and Extent of Disease: States, 1972

*Not included in totals.

TABLE 9

*Percent, Pulmonary
Tuberculosis* by Extent
of Disease: States, 1972*

State	Total	Minimal	Moderately Advanced	Far Advanced
United States	100.0	21.6	42.7	35.7
Alabama	100.0	15.6	42.9	41.5
Alaska	100.0	58.4	20.8	20.8
Arizona	100.0	24.4	37.6	38.0
Arkansas	100.0	14.7	43.9	41.4
California	100.0	28.0	46.5	25.5
Colorado	100.0	28.8	39.9	31.3
Connecticut	100.0	30.1	37.1	32.8
Delaware	100.0	9.6	20.5	69.9
District of Columbia	100.0	20.3	42.6	37.1
Florida	100.0	15.2	46.9	37.9
Georgia	100.0	15.0	39.8	45.2
Hawaii	100.0	51.9	37.4	10.7
Idaho	100.0	31.6	39.5	28.9
Illinois	100.0	17.5	48.3	34.2
Indiana	100.0	20.4	39.7	39.9
Iowa	100.0	14.0	24.7	61.3
Kansas	100.0	38.2	35.4	26.4
Kentucky	100.0	20.7	42.1	37.2
Louisiana	100.0	17.1	40.6	42.3
Maine	100.0	24.6	50.7	24.7
Maryland	100.0	23.0	36.3	40.7
Massachusetts	100.0	24.0	50.3	25.7
Michigan	100.0	22.9	41.6	35.5
Minnesota	100.0	30.9	43.4	25.7
Mississippi	100.0	15.6	35.3	49.1
Missouri	100.0	18.3	41.7	40.0
Montana	100.0	37.0	32.6	30.4
Nebraska	100.0	21.6	54.1	24.3
Nevada	100.0	25.0	37.5	37.5
New Hampshire	100.0	29.0	45.2	25.8
New Jersey	100.0	15.2	48.2	36.6
New Mexico	100.0	25.3	43.4	31.3
New York	100.0	20.7	42.2	37.1
North Carolina	100.0	17.4	32.9	49.7
North Dakota	100.0	28.6	47.6	23.8
Ohio	100.0	26.9	41.4	31.7
Oklahoma	100.0	17.3	44.4	38.3
Oregon	100.0	27.6	42.3	30.1
Pennsylvania	100.0	22.9	46.7	30.4
Rhode Island	100.0	20.2	49.4	30.4
South Carolina	100.0	12.9	30.3	56.8
South Dakota	100.0	25.0	40.0	35.0
Tennessee	100.0	22.5	45.9	31.6
Texas	100.0	21.7	42.9	35.4
Utah	100.0	23.1	66.7	10.2
Vermont	100.0	28.0	64.0	8.0
Virginia	100.0	23.1	29.2	47.7
Washington	100.0	28.4	52.2	19.4
West Virginia	100.0	20.6	42.3	37.1
Wisconsin	100.0	22.6	37.9	39.5
Wyoming	100.0	38.4	30.8	30.8
Puerto Rico**	100.0	11.7	46.5	41.8

*New active cases for which extent specified.

**Not included in totals.

Cities	New Active Cases		
	Number	Rate	Rate Rank Order
Akron, Ohio	37	13.4	53
Albuquerque, N. M.	33	13.5	52
Atlanta-Fulton Co., Ga.	192	31.2	19
Austin, Texas	66	24.9	31
Baltimore, Md.	424	48.2	3
Birmingham, Ala.	120	41.1	8
Boston, Mass.	263	41.8	7
Buffalo, N. Y.	141	31.3	18
Chicago, Ill.	1,270	37.7	10
Cincinnati, Ohio	129	28.5	22
Cleveland, Ohio	252	33.6	16
Columbus, Ohio	80	14.8	46
Dallas, Texas	175	20.0	39
Dayton, Ohio	61	25.0	30
Denver, Colo.	74	14.1	49
Detroit, Mich.	564	37.7	11
El Paso, Texas	128	39.0	9
Ft. Worth, Texas	89	22.3	33
Honolulu, Hawaii	186	57.8	2
Houston, Texas	443	34.3	15
Indianapolis-Marion Co., Ind.	213	26.7	25
Jacksonville, Fla.	150	27.4	24
Jersey City, N. J.	95	36.4	13
Kansas City, Mo.	88	17.3	42
Long Beach, Cal.	49	13.7	51
Los Angeles, Cal.	796	28.1	23
Louisville-Jefferson Co., Ky.	114	16.2	44
Memphis-Shelby Co., Tenn.	130	17.5	40
Miami-Dade Co., Fla.	289	21.1	35
Milwaukee, Wisc.	77	10.7	58
Minneapolis, Minn.	44	10.1	59
Nashville-Davidson Co., Tenn.	112	24.3	32
Newark, N. J.	268	69.6	1
New Orleans, La.	132	21.9	34
New York, N. Y.	2,275	28.8	21
Norfolk, Va.	46	14.6	47
Oakland, Cal.	95	26.2	26
Oklahoma City, Okla.	42	11.2	57
Omaha-Douglas Co., Nebr.	56	13.7	50
Philadelphia, Pa.	726	37.3	12
Phoenix, Ariz.	118	17.5	41
Pittsburgh, Pa.	162	31.7	17
Portland-Multnomah Co., Ore.	94	16.8	43
Richmond, Va.	113	44.3	5
Rochester, N. Y.	87	30.0	20
Sacramento, Cal.	95	35.4	14
St. Louis, Mo.	153	25.5	27
St. Paul, Minn.	37	11.9	55
San Antonio, Texas	168	25.3	29
San Diego, Cal.	114	15.3	45
San Francisco, Cal.	289	42.2	6
San Jose, Cal.	101	20.4	37
Seattle, Wash.	104	20.2	38
Tampa, Fla.	72	25.4	28
Toledo, Ohio	56	14.6	48
Tucson, Ariz.	60	21.1	36
Tulsa, Okla.	44	13.0	54
Washington, D. C.	354	47.3	4
Wichita, Kans.	31	11.8	56
Total—59 Cities	12,776	28.3	..
San Juan, P. R.	148	31.0	..

TABLE 10
Tuberculosis Cases and Case Rates: Cities of 250,000 or More Population, 1972

Note: County data are shown when information for principal city is not reported separately.

TABLE 11

*New Cases of Active
Tuberculosis by Age:
Cities of 250,000 or
More Population, 1972*

Cities	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
Akron, Ohio	37	0	2	6	8	9	6	6
Albuquerque, N. M.	33	1	1	2	9	11	9	0
Atlanta-Fulton Co., Ga.	192	6	5	12	63	75	10	21
Austin, Texas	66	3	9	15	17	10	10	2
Baltimore, Md.	424	17	9	30	123	186	59	0
Birmingham, Ala.	120	1	11	10	24	44	30	0
Boston, Mass.	263	5	10	21	74	107	46	0
Buffalo, N. Y.	141	6	7	10	33	50	35	0
Chicago, Ill.	1,270	29	20	122	457	438	204	0
Cincinnati, Ohio	129	0	8	6	35	28	23	29
Cleveland, Ohio	252	6	6	10	60	106	45	19
Columbus, Ohio	80	3	3	5	23	25	13	8
Dallas, Texas	175	12	4	9	58	66	22	4
Dayton, Ohio	61	0	0	3	6	29	21	2
Denver, Colo.	74	1	2	4	21	24	22	0
Detroit, Mich.	564	52	27	130	87	187	76	5
El Paso, Texas	128	23	11	18	25	32	19	0
Ft. Worth, Texas	89	4	2	9	26	27	18	3
Honolulu, Hawaii	186	4	2	14	62	59	44	1
Houston, Texas	443	27	26	37	128	165	60	0
Indianapolis-Marion Co., Ind.	213	8	24	20	42	76	43	0
Jacksonville, Fla.	150	10	7	12	47	49	25	0
Jersey City, N. J.	95	2	8	15	31	30	9	0
Kansas City, Mo.	88	14	3	7	16	25	23	0
Long Beach, Cal.	49	1	2	7	15	17	7	0
Los Angeles, Cal.	796	44	20	118	278	218	118	0
Louisville-Jefferson Co., Ky.	114	0	0	9	26	52	27	0
Memphis-Shelby Co., Tenn.	130	3	0	12	31	42	42	0
Miami-Dade Co., Fla.	289	7	4	31	74	116	57	0
Milwaukee, Wisc.	77	2	1	3	20	35	16	0
Minneapolis, Minn.	44	0	0	1	9	16	18	0
Nashville-Davidson Co., Tenn.	112	7	5	3	27	30	40	0
Newark, N. J.	268	11	12	32	118	75	20	0
New Orleans, La.	132	10	13	7	38	52	11	1
New York, N. Y.	2,275	67	81	276	848	687	316	0
Norfolk, Va.	46	0	0	3	14	14	11	4
Oakland, Cal.	95	1	7	13	29	28	15	2
Oklahoma City, Okla.	42	1	0	2	12	22	5	0
Omaha-Douglas Co., Nebr.	56	0	0	2	10	36	8	0
Philadelphia, Pa.	726	17	17	47	218	280	147	0
Phoenix, Ariz.	118	5	4	6	29	47	27	0
Pittsburgh, Pa.	162	4	9	12	36	58	43	0
Portland-Multnomah Co., Ore.	94	2	0	1	28	39	23	1
Richmond, Va.	113	10	4	10	26	36	26	1
Rochester, N. Y.	87	6	6	10	31	24	10	0
Sacramento, Cal.	95	1	1	4	27	45	17	0
St. Louis, Mo.	153	14	1	6	31	56	45	0
St. Paul, Minn.	37	1	1	2	11	17	5	0
San Antonio, Texas	168	6	11	18	44	52	29	8
San Diego, Cal.	114	3	2	13	23	41	32	0
San Francisco, Cal.	289	13	9	30	99	79	59	0
San Jose, Cal.	101	10	5	16	22	34	13	1
Seattle, Wash.	104	0	2	4	27	50	21	0
Tampa, Fla.	72	9	4	3	22	26	8	0
Toledo, Ohio	56	0	1	10	7	24	8	6
Tucson, Ariz.	60	6	8	3	6	20	17	0
Tulsa, Okla.	44	1	0	2	12	16	13	0
Washington, D. C.	354	11	5	19	132	129	58	0
Wichita, Kans.	31	2	2	1	6	10	10	0
Total—59 Cities	12,776	509	444	1,263	3,861	4,381	2,194	124

Cities	Total	White			Other			Race or Sex Not Stated
		Total	Male	Female	Total	Male	Female	
Akron, Ohio	37	23	15	8	12	6	6	2
Albuquerque, N. M.	33	27	18	9	6	1	5	0
Atlanta-Fulton Co., Ga.	192	63	45	18	129	91	38	0
Austin, Texas	66	45	26	19	14	13	1	7
Baltimore, Md.	424	122	92	30	302	210	92	0
Birmingham, Ala.	120	27	18	9	93	64	29	0
Boston, Mass.	263	152	123	29	111	78	33	0
Buffalo, N. Y.	141	58	43	15	83	55	28	0
Chicago, Ill.	1,270	609	433	176	517	366	151	144
Cincinnati, Ohio	129	60	36	24	61	46	15	8
Cleveland, Ohio	252	110	82	28	128	73	55	14
Columbus, Ohio	80	45	31	14	33	24	9	2
Dallas, Texas	175	92	61	31	82	54	28	1
Dayton, Ohio	61	28	15	13	29	25	4	4
Denver, Colo.	74	59	43	16	14	9	5	1
Detroit, Mich.	564	153	122	31	406	270	136	5
El Paso, Texas	128	118	70	48	2	1	1	8
Ft. Worth, Texas	89	58	46	12	21	11	10	10
Honolulu, Hawaii	186	18	12	6	168	101	67	0
Houston, Texas	443	266	188	78	176	114	62	1
Indianapolis-Marion Co., Ind.	213	126	84	42	87	52	35	0
Jacksonville, Fla.	150	58	41	17	92	58	34	0
Jersey City, N. J.	95
Kansas City, Mo.	88	47	26	21	41	28	13	0
Long Beach, Cal.	49	39	29	10	10	4	6	0
Los Angeles, Cal.	796	513	333	180	283	169	114	0
Louisville-Jefferson Co., Ky.	114	81	50	31	33	25	8	0
Memphis-Shelby Co., Tenn.	130	49	27	22	81	48	33	0
Miami-Dade Co., Fla.	289	146	109	37	143	103	40	0
Milwaukee, Wisc.	77	51	35	16	25	18	7	1
Minneapolis, Minn.	44	33	21	12	11	8	3	0
Nashville-Davidson Co., Tenn.	112	74	40	34	38	25	13	0
Newark, N. J.	268
New Orleans, La.	132	42	35	7	90	59	31	0
New York, N. Y.	2,275	633	423	210	964	588	376	678
Norfolk, Va.	46	12	10	2	34	22	12	0
Oakland, Cal.	95	32	21	11	55	36	19	8
Oklahoma City, Okla.	42	28	20	8	14	8	6	0
Omaha-Douglas Co., Nebr.	56	47	37	10	9	7	2	0
Philadelphia, Pa.	726	236	170	66	490	325	165	0
Phoenix, Ariz.	118	69	46	23	49	34	15	0
Pittsburgh, Pa.	162	84	66	18	78	45	33	0
Portland-Multnomah Co., Ore.	94	75	58	17	19	15	4	0
Richmond, Va.	113	29	21	8	84	59	25	0
Rochester, N. Y.	87	19	11	8	68	45	23	0
Sacramento, Cal.	95	66	55	11	29	20	9	0
St. Louis, Mo.	153	63	46	17	90	60	30	0
St. Paul, Minn.	37	30	22	8	7	3	4	0
San Antonio, Texas	168	151	93	58	16	6	10	1
San Diego, Cal.	114	85	56	29	29	18	11	0
San Francisco, Cal.	289	125	85	40	160	96	64	4
San Jose, Cal.	101	82	54	28	14	14	0	5
Seattle, Wash.	104	68	54	14	36	21	15	0
Tampa, Fla.	72	30	22	8	42	26	16	0
Toledo, Ohio	56	30	14	16	19	12	7	7
Tucson, Ariz.	60	39	25	14	21	16	5	0
Tulsa, Okla.	44	27	16	11	17	12	5	0
Washington, D. C.	354	51	40	11	301	211	90	2
Wichita, Kans.	31	16	10	6	15	11	4	0
Total—59 Cities	12,776*	5,519	3,824	1,695	5,981	3,919	2,062	913

TABLE 12
*New Cases of Active
Tuberculosis by Race
and Sex: Cities of
250,000 or More
Population, 1972*

*Cases reported by New Jersey were not identified by race and sex.

TABLE 13

*Tuberculosis Cases and
Case Rates: Cities of
100,000 to 250,000
Population, 1972*

Cities	New Active Cases		
	Number	Rate	Rate Rank Order
Albany, N. Y.	45	40.3	6
Alexandria, Va.	13	11.9	63
Allentown, Pa.	19	17.3	46
Amarillo, Texas	5	4.1	91
Anaheim, Cal.	11	6.0	85
Baton Rouge, La.	24	14.2	55
Beaumont, Texas	31	27.1	17
Berkeley, Cal.	15	12.9	59
Bridgeport, Conn.	30	19.3	40
Cambridge, Mass.	14	14.2	54
Camden, N. J.	29	27.8	15
Canton, Ohio	27	24.5	28
Cedar Rapids—Linn Co., Iowa	7	4.3	89
Charlotte—Mecklenburg Co., N. C.	53	14.2	53
Chattanooga, Tenn.	39	32.8	9
Colorado Springs—El Paso Co., Colo.	14	5.4	86
Columbia—Richland Co., S. C.	57	23.9	31
Columbus—Muscogee Co., Ga.	19	11.6	65
Corpus Christi, Texas	60	28.4	14
Dearborn, Mich.	11	10.6	69
Des Moines—Polk Co., Iowa	18	6.3	84
Duluth, Minn.	7	7.0	80
Elizabeth, N. J.	30	26.4	20
Erie, Pa.	16	12.5	61
Evansville, Ind.	10	7.2	79
Fall River, Mass.	23	24.4	29
Flint, Mich.	44	22.1	34
Ft. Lauderdale, Fla.	53	35.3	8
Ft. Wayne, Ind.	39	21.2	35
Fremont, Cal.	6	5.2	87
Fresno, Cal.	77	44.3	2
Garden Grove, Cal.	8	6.5	82
Gary, Ind.	52	29.3	12
Glendale, Cal.	19	14.3	52
Grand Rapids, Mich.	30	14.9	51
Greensboro—Guilford Co., N. C.	38	12.7	60
Hammond, Ind.	9	8.3	73
Hampton, Va.	19	15.5	49
Hartford, Conn.	36	23.0	32
Hollywood, Fla.	32	27.6	16
Huntington Beach, Cal.	5	3.6	92
Huntsville—Madison Co., Ala.	38	18.8	42
Jackson—Hinds Co., Miss.	55	25.6	25
Kansas City, Kans.	35	20.7	37
Knoxville, Tenn.	46	24.6	27
Lansing, Mich.	19	14.1	56
Las Vegas—Clark Co., Nev.	22	7.4	77
Lexington—Fayette Co., Ky.	46	25.9	22
Lincoln, Nebr.	13	8.2	74
Little Rock, Ark.	28	21.1	36

TABLE 13 (Cont.)
*Tuberculosis Cases and
Case Rates: Cities of
100,000 to 250,000
Population, 1972*

Cities	New Active Cases		
	Number	Rate	Rate Rank Order
Livonia, Mich.	5	4.3	90
Lubbock, Texas	10	6.6	81
Macon-Bibb Co., Ga.	32	20.5	38
Madison, Wisc.	3	1.7	94
Mobile-Mobile Co., Ala.	104	32.7	10
Montgomery-Montgomery Co., Ala.	68	40.6	5
New Bedford, Mass.	15	15.0	50
New Haven, Conn.	22	16.2	48
Newport News, Va.	36	25.7	24
Parma, Ohio	5	5.0	88
Pasadena, Cal.	27	23.9	30
Paterson, N. J.	86	58.5	1
Peoria, Ill.	15	11.8	64
Portsmouth, Va.	29	25.8	23
Providence, R. I.	48	26.5	18
Raleigh-Wake Co., N. C.	49	20.3	39
Riverside, Cal.	19	13.0	58
Rockford, Ill.	16	10.8	68
St. Petersburg, Fla.	42	17.8	45
Salt Lake City, Utah	19	10.6	70
San Bernardino, Cal.	19	17.8	44
Santa Ana, Cal.	45	26.5	19
Savannah-Chatham Co., Ga.	56	28.9	13
Scranton, Pa.	23	22.4	33
Shreveport, La.	26	13.9	57
South Bend, Ind.	33	26.3	21
Spokane, Wash.	62	36.0	7
Springfield, Mass.	30	18.7	43
Springfield-Greene Co., Mo.	15	9.8	71
Stamford, Conn.	12	11.0	67
Stockton, Cal.	50	42.8	4
Syracuse, N. Y.	59	30.8	11
Tacoma, Wash.	19	12.2	62
Topeka, Kans.	3	2.2	93
Torrance, Cal.	10	7.2	78
Trenton, N. J.	47	44.1	3
Virginia Beach, Va.	14	8.0	75
Warren, Mich.	15	7.8	76
Waterbury, Conn.	7	6.4	83
Wichita Falls, Texas	11	11.5	66
Winston-Salem-Forsyth Co., N. C.	38	17.3	47
Worcester, Mass.	33	19.1	41
Yonkers, N. Y.	19	9.3	72
Youngstown, Ohio	35	25.0	26
Total—94 Cities	2,727	18.3	..
Ponce, P. R.	40	24.1	..

Note: County data are shown when information for principal city is not reported separately.